

FLOORING365.CO.UK

Technical Specification Sheet

Henley Engineered Natural Oak Brushed & Oiled Click-Lock Wood Flooring (190mm x 14/2mm)

Product Overview

The Henley Engineered Natural Oak flooring offers a beautifully natural look, enhanced by a brushed and oiled finish that highlights the texture and character of the wood. The wide 190mm boards help create a more open and seamless feel across a room, making it a lovely choice for both modern and traditional interiors.

Featuring a convenient click-lock system, this flooring is designed for a quicker and more straightforward installation, while still offering the strength and stability of engineered construction.

Construction Details

This flooring features a multi-layer engineered construction, designed to provide strength and stability.

- Top layer: 2mm solid oak veneer
- Core: Cross-layered timber or plywood
- Base layer: Stabilising backing layer

This structure helps reduce movement caused by temperature and humidity changes, making it a practical option for everyday homes.

Finish & Surface

The brushed and oiled finish enhances the natural beauty of the oak while keeping the overall look soft and understated.

- Brushing highlights the grain and adds texture
- Oil penetrates the surface for a natural, matte appearance
- Allows for easier localised repairs compared to lacquered finishes

This creates a floor that feels warm, natural, and easy to maintain.

Key Specifications

Specification	Details
Product Code	190142BOCL1
Flooring Type	Engineered Wood
Wood Species	Oak
Finish	Brushed & Oiled
Thickness	14mm
Wear Layer	2mm Solid Oak Top Layer
Board Width	190mm
Board Length	Mixed lengths (300mm – 1200mm)
Edge Detail	Micro Bevel
Grade	Natural Grade
Profile	Click-Lock System
Installation Method	Floating (Click Installation)
Pack Coverage	1.824 m ² per pack
Underfloor Heating	Suitable (see guidelines below)
Surface Texture	Brushed
Finish Type	Natural Oil
Room Suitability	Living Areas, Bedrooms, Hallways
Commercial Use	Light Commercial

Board Style & Appearance

The 190mm wide boards give a spacious, contemporary feel, helping rooms appear larger and more open.

Natural variation in tone and grain is part of the design, giving each floor a unique and authentic character.

Installation Information

This flooring features a **click-lock system**, designed for quick and straightforward installation.

- Boards simply click together without the need for adhesive
- Floating installation method
- Suitable for most DIY installations

This system makes fitting faster and more convenient while still providing a secure and stable result.

Underfloor Heating Compatibility

This flooring is suitable for use with **water-based underfloor heating systems** when installed correctly.

- Maximum surface temperature: 27°C
- Gradual temperature changes are recommended
- Ensure proper subfloor preparation

Electric underfloor heating systems are not recommended unless specifically approved.

Maintenance Overview

To keep your flooring looking its best:

- Clean regularly using a soft brush or vacuum
- Use a damp (not wet) mop
- Apply maintenance oil periodically
- Avoid harsh chemicals and excess moisture

For best results, follow a dedicated care guide for oiled wood flooring.

Important Notes

- Flooring must be acclimatised before installation
- Check all boards prior to fitting
- Natural variation in colour and grain is to be expected
- Not suitable for bathrooms or wet areas

Final Thoughts

The Henley Engineered Natural Oak flooring combines the natural character of brushed and oiled wood with the convenience of a click-lock installation system. Its wide board design and engineered construction make it a practical and stylish choice for modern living spaces.

Get in touch!

Phone: 0333 002 0175

Email: Sale@flooring365.co.uk

FLOORING365.co.UK