

FLOORING365.CO.UK

Technical Specification Sheet

**Fyfield Engineered Natural Oak Brushed & Oiled Wood Flooring
(190mm x 14/3mm)**

Product Overview

The Fyfield Engineered Natural Oak flooring offers a beautifully natural appearance, enhanced by a brushed and oiled finish that highlights the grain and texture of the wood. The wider 190mm boards help create a more open, seamless look across a room, making it a lovely choice for both modern and traditional interiors.

With its engineered construction, this flooring provides a balance of durability and stability, making it well suited to everyday living.

Construction Details

This flooring features a multi-layer engineered construction, designed to provide improved stability compared to solid wood.

- Top layer: 3mm solid oak veneer
- Core: Cross-layered timber or plywood for strength
- Base layer: Stabilising backing layer

This layered structure helps minimise movement caused by changes in temperature and humidity, making it a reliable and practical choice for modern homes.

Finish & Surface

The brushed and oiled finish enhances the natural beauty of the oak while keeping the overall look soft and understated.

- Brushing highlights the grain and adds texture
- Oil penetrates the wood for a natural, matte appearance
- Allows for easier localised repairs compared to lacquered finishes

This combination creates a floor that feels warm, natural

Key Specifications

Specification	Details
Product Code	190143BORL1
Flooring Type	Engineered Wood
Wood Species	Oak
Finish	Brushed & Oiled
Thickness	14mm
Wear Layer	3mm Solid Oak Top Layer
Board Width	190mm
Board Length	Mixed lengths (300mm – 1200mm)
Edge Detail	Micro Bevel
Grade	Natural Grade
Profile	Tongue & Groove
Installation Method	Floating (glued joints), Glue-Down or Nail-Down
Pack Coverage	1.83 m ² per pack
Underfloor Heating	Suitable (see guidelines below)
Surface Texture	Brushed
Finish Type	Natural Oil
Room Suitability	Living Areas, Bedrooms, Hallways
Commercial Use	Light Commercial

Board Style & Appearance

The 190mm wide boards help create a more spacious and contemporary feel, allowing the natural variation of the wood to stand out.

Each board will feature unique grain patterns and tonal differences, adding to the authentic character of the floor.

Installation Information

This flooring uses a **tongue and groove profile**, offering a traditional and secure fit.

Suitable installation methods include:

- Floating installation with glued joints
- Glue-down installation for a more solid feel
- Nail-down installation over timber subfloors

Professional installation is recommended for the best finish, although experienced DIY installation is possible.

Underfloor Heating Compatibility

This flooring is suitable for use with **water-based underfloor heating systems** when installed correctly.

- Maximum surface temperature: 27°C
- Gradual temperature changes are recommended
- Ensure the subfloor is properly prepared

Electric underfloor heating systems are not recommended unless specifically approved.

Maintenance Overview

To keep your flooring looking its best:

- Clean regularly using a soft brush or vacuum
- Use a damp (not wet) mop
- Apply maintenance oil periodically
- Avoid harsh chemicals and excess moisture

For best results, follow a full care and maintenance guide specific to oiled

wood flooring.

Environmental & Performance Notes

Engineered wood flooring offers a more efficient use of natural timber compared to solid wood, making it a more resource-conscious choice.

- Designed for stability in changing environments
- Long lifespan with proper care
- Suitable for modern living conditions

Important Notes

- Flooring must be acclimatised before installation
- Check all boards prior to fitting
- Natural variation in colour and grain is to be expected
- Not suitable for bathrooms or wet areas

Final Thoughts

The Fyfield Engineered Natural Oak flooring combines wide board elegance with a beautifully natural finish. Its brushed and oiled surface brings out the character of the wood, while the engineered construction ensures dependable performance in everyday spaces.

Get in touch!

Phone: 0333 002 0175

Email: Sale@flooring365.co.uk

FLOORING365.co.uk