

FLOORING365.co.uk

Technical Specification Sheet

**Glanwell Elite Engineered Natural Oak Brushed & Oiled Wood Flooring
(190mm x 20/6mm)**

Product Overview

The Glanwell Elite Engineered Natural Oak flooring offers a premium and luxurious appearance, combining extra-thick construction with a beautifully natural brushed and oiled finish. The wide 190mm boards create a spacious and seamless look, while the natural oak tones bring warmth and timeless character to any interior.

Designed for long-term durability and visual impact, this flooring is ideal for customers seeking a high-end engineered wood floor with a strong and substantial feel underfoot.

Construction Details

This flooring features a premium multi-layer engineered construction, designed to provide exceptional strength, stability, and longevity.

- Top layer: 6mm solid oak veneer
- Core: Multi-layered timber or plywood construction
- Base layer: Stabilising backing layer

The substantial 6mm wear layer offers excellent durability and allows for multiple refinishing opportunities over the lifetime of the floor.

Finish & Surface

The brushed and oiled finish enhances the natural texture and beauty of the oak.

- Brushing highlights the grain and adds subtle texture
- Oil penetrates the wood for a soft, matte appearance
- Allows for easier localised maintenance and repairs

This creates a floor with a warm, authentic feel.

Key Specifications

Specification	Details
Product Code	190BO1
Flooring Type	Engineered Wood
Wood Species	Oak
Finish	Brushed & Oiled
Thickness	20mm
Wear Layer	6mm Solid Oak Top Layer
Board Width	190mm
Board Length	300mm – 1200mm (Mixed Lengths)
Edge Detail	Micro Bevel
Grade	Natural Grade
Profile	Tongue & Groove
Installation Method	Floating (glued joints), Glue-Down or Nail-Down
Pack Coverage	1.45 m ² per pack
Underfloor Heating	Suitable (see guidelines below)
Surface Texture	Brushed
Finish Type	Natural Oil
Room Suitability	Living Areas, Bedrooms, Hallways
Commercial Use	Light Commercial

Board Style & Appearance

The 190mm board width creates a spacious and contemporary feel, helping to make rooms appear larger and more open.

Natural variation in grain and tone gives each board its own unique character, while the brushed and oiled finish enhances the authentic look and texture of the wood.

Installation Information

This flooring features a **tongue and groove profile**, providing a traditional and secure fit.

Suitable installation methods include:

- Floating installation with glued joints
- Glue-down installation for a more solid feel
- Nail-down installation over timber subfloors

Due to the thickness and weight of the boards, professional installation is strongly recommended for the best results.

Underfloor Heating Compatibility

This flooring is suitable for use with **water-based underfloor heating systems** when installed correctly.

- Maximum surface temperature: 27°C
- Gradual temperature changes are recommended
- Ensure proper subfloor preparation

Electric underfloor heating systems are not recommended unless specifically approved.

Maintenance Overview

To maintain the natural look and performance of this flooring:

- Clean regularly using a soft brush or vacuum
- Use a damp (not wet) mop
- Apply maintenance oil periodically

- Avoid harsh chemicals and excess moisture

For best results, follow a dedicated care and maintenance guide for oiled wood flooring.

Important Notes

- Flooring must be acclimatised before installation
- Check all boards prior to fitting
- Natural variation in colour and grain is to be expected
- Not suitable for bathrooms or wet areas

Final Thoughts

The Glanwell Elite Engineered Natural Oak flooring combines premium construction with a beautifully natural brushed and oiled finish. Its substantial 20mm thickness and wide board design make it an excellent choice for creating a luxurious and long-lasting interior.

Get in touch!

Phone: 0333 002 0175

Email: Sale@flooring365.co.uk

FLOORING365.co.uk